





























Model	Görsel	Özellikler	Liste Fiyatı
Cloud Mesh AP			
WI-AP717MP		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Indoor Wireless Mesh AP * 11AC Wave2 2.4GHz 300Mbps+5.8Ghz 887Mbps * Atheros chipset 128MB DDR2, 16MB Flash, 500mW High-Power,access 100Users * 4*5dB inside antenna * Support 3 PoE Output for IPC when DC Input 48-52V * Support 2 PoE Output for IPC when Port 1 PoE Input 48-52V * Support Easy Mesh Connect design for big area Wireless Coverage * Support Cloud Managed * 48V 30W Gigabit PoE Adapter Included 	\$200,00
WI-AP718M		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Outdoor Wireless Mesh AP * 11AC Wave2 2.4GHz 300Mbps+5.8Ghz 887Mbps * Atheros chipset 128MB DDR2, 16MB Flash, 200mW High-Power,access 60Users * 4*5dB inside antenna for 200meters Coverage * IP65 rated, weather and dust sealed * Support Easy Mesh Connect and Fast roaming * Support Cloud Managed * 48V 802.3af/at 30W Gigabit PoE Adapter Included 	\$302,50
Cloud Mesh WiFi 6 Router			
WI-AX1800M		<ul style="list-style-type: none"> * 802.11AX 2.4G&5.8G 1800M Indoor Wireless Mesh Router * 11AC Wave2 2.4GHz 574Mbps+5.8Ghz 1201Mbps * Atheros chipset 256MB DDR3, 128MB Flash, 300mW High-Power,access 100Users * Extensive Coverage: Beamforming, independent FEM, and 4*5dB antennas combine to deliver focused reception to devices far away * Support Easy Mesh Connect design for big area Wireless Coverage * Support Cloud Managed * Support SD-LAN and open-vpn function 	\$150,00
Cloud L2 Managed PoE Switch			
WI-PCMS310GF		<ul style="list-style-type: none"> * 8GE+2SFP Full Giga 802.3af/at Cloud L2 Managed PoE Switch * Supports PoE power up to 30W for each port,Config PoE and VLAN on Cloud * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 150W * Cloud/WEB/CLI managed modes, SNMP, RMON bring abundant management features * Support google Map view to let users know project location for easy management * Discovery ONIVF IP camera and view network topology with Gateway/AC,AP,Switch,IPC on Cloud 	\$300,00
WI-PCMS328GF		<ul style="list-style-type: none"> * 24GE+2Combo SFP+2SFP Full Giga 802.3af/at Cloud L2 Managed PoE Switch * Supports PoE power up to 30W for each port,Config PoE and VLAN on Cloud * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 400W * Cloud/WEB/CLI managed modes, SNMP, RMON bring abundant management features * Support google Map view to let users know project location for easy management * Discovery ONIVF IP camera and view network topology with Gateway/AC,AP,Switch,IPC on Cloud 	\$720,00
Cloud L2 Managed Fiber Aggregation Switch			
WI-CGS5018		<ul style="list-style-type: none"> * 10SFP+8GE Cloud L2 Managed Fiber Aggregation Switch * Cloud/WEB/CLI managed modes, SNMP, RMON bring abundant management features * Support QVLAN,QoS and IGMP snooping optimize voice and video application * Support google Map view to let users know project location for easy management * Discovery ONIVF IP camera and view network topology with Gateway/AC,AP,Switch,IPC on Cloud * Config VLAN on Cloud 	\$405,00
WI-CGS5026		<ul style="list-style-type: none"> * 18SFP+8GE Full Giga 802.3af/at Cloud L2 Managed Fiber Aggregation Switch * Support QVLAN,QoS and IGMP snooping optimize voice and video application * Cloud/WEB/CLI managed modes, SNMP, RMON bring abundant management features * Support google Map view to let users know project location for easy management * Discovery ONIVF IP camera and view network topology with Gateway/AC,AP,Switch,IPC on Cloud * Config VLAN on Cloud 	\$1.070,00
4G LTE Outdoor CPE& 4G LTE Indoor Wi-Fi Router			
WI-LTE110-O V2		<ul style="list-style-type: none"> * CAT4 4G transform to Wi-Fi(2.4G 300Mbps) and wired network * Build in 3G/4G SIM card slot, support LTE-TDD/LTE-FDD, WCDMA/CDMA and GSM networking. Then band adjustable, can comply with all operator in the world. * High RF power design, with omni 2.4G/4G antenna, more wireless coverage, better signal strength and more stable performance. * Support Power over Ethernet, 24V passive PoE * Support Cloud Managed and SD-LAN function * Support 4K HD video transmit * 10KV Lightning Protection and IP65 waterproof 	\$190,00









WI-LTE113-O		<ul style="list-style-type: none"> * CAT6 4G transform to Gigabit RJ45 Port wired network * Build in 3G/4G SIM card slot, support LTE-TDD/LTE-FDD, WCDMA/CDMA and GSM networking. Then band adjustable, can comply with all operator in the world. * 4G LTE Cat 6 300 Mbps (DL)/50 Mbps (UL) * Support Cloud Managed and SD-LAN function * 802.3af/at or 24V PoE and Gigabit Ethernet * 16KV Lightning Protection and IP65 waterproof 	\$495,00
WI-LTE115-O		<ul style="list-style-type: none"> * 4G LTE Outdoor Wireless Router for IPC * Outdoor 4G wireless router supports Power-up IPC * 4G transform to Wi-Fi(2.4G 300Mbps) and wired network * Build in 3G/4G SIM card slot, support LTE-TDD/LTE-FDD, WCDMA/CDMA and GSM networking. Then band adjustable, can comply with all operator in the world. * Support 12V 1.5A DC Input, and 12V 1A DC Output for power up camera directly * with 5dBi omni 4G antenna, better signal strength and more stable performance. * Support 4K HD video transmit * Support access IP camera by Wi-Fi and LAN port * 10KV Lightning Protection and IP65 waterproof 	\$130,00
WI-LTE300		<ul style="list-style-type: none"> * Indoor 4G LTE SoHo WiFi Router * Indoor 4G WiFi Router transform to Wi-Fi(2.4G 300Mbps) and wired network * Build in 3G/4G SIM card slot, support LTE-TDD/LTE-FDD, WCDMA/CDMA and GSM networking. Then band adjustable, can comply with all operator in the world. * High RF power design, with omni 2.4G/4G antenna, more wireless coverage, better signal strength and more stable performance. * Support 4K HD video transmit * Support 4G access, Router and AP mode * Support 30users+ for Wi-Fi access, 100Meter WiFi Coverage * 10KV Lightning Protection 	\$166,00
WI-LTE117-O		<ul style="list-style-type: none"> * 4G LTE Outdoor CPE for CCTV+2PoE Output or 1PoE input (4G transform to Wi-Fi(2.4G 300Mbps) and wired network) * Build in 3G/4G SIM card slot, support LTE-TDD/LTE-FDD, WCDMA/CDMA and GSM networking. Then band adjustable, can comply with all operator in the world. * Support 2PoE Output(DC 48-52V IN) or 1PoE Output(1 PoE IN) for power up camera directly. included 1*48V PoE adapter in packing box * with 5dBi omni 4G antenna, better signal strength and more stable performance. * Support access IP camera by Wi-Fi and LAN port * 10KV Lightning Protection and IP65 waterproof * Support Cloud Managed and SD-LAN function 	\$210,00
UPS No-Break PoE Switch			
WI-PS302G-UPS		<ul style="list-style-type: none"> * 2GE Ports UPS No-break PoE Injector * Inside battery controller for charge and dis-charge battery circulatory * Support AC90-240V IN, 12V Battery 30AH Max * 1*24V/48V PoE Output Select(30W), 1 gigabit Uplink port * 1*12V 3A Max DC Outout, 1*24V/48V DC Output Select * 6KV anti-thunder, small size design for outdoor used * Upgraded to support Din-Rail and detachable AC connector 	Fiyat Sorunuz
WI-PS301-UPS		<ul style="list-style-type: none"> * 12V/24V Smart Solar Controller * Inside battery controller for 8A charge current Max charge and dis-charge battery circulatory * Support 12-24V 400W Solar Pannel Input or DC 24V Input to charge 12V 80AH Battery Max * 10hours charge full 12V 80AH lead-acid/lithium battery * 2*12V/24V DC Outout, 2*DC output total 3A Max * 6KV anti-thunder, small size design for outdoor used * Support DIN-RAIL mounted 	Fiyat Sorunuz
WI-PS306GF-UPS V3		<ul style="list-style-type: none"> * 5GE+1SFP Unmanaged UPS No-break PoE Switch * Inside solar controller and battery controller for charge and dis-charge battery circulatory from solar Panel and DC INPUT * Fiber Watchdog * Support 18-36V DC IN, 12V/24V Solar Panel Input, 12V/24V Battery 50AH Max * 3*48V PoE out(2*30W/1*60W), 2*24V/48V manual setting DIP button(30W) * 6KV anti-thunder, small size design for outdoor used 	Fiyat Sorunuz
WI-PS306GF-UPS-15A		<ul style="list-style-type: none"> * 5GE+1SFP Unmanaged UPS No-break PoE Switch * Inside solar controller and battery controller for 15A charge current Max and dis-charge battery circulatory from solar Panel and DC INPUT * 10hours charge full 12V/24V 150AH lead-acid/lithium battery * Support 18-36V DC IN, 12V/24V Solar Panel Input, 12V/24V Battery 150AH Max * 3*48V PoE out(2*30W/1*60W), 2*24V/48V Mixed PoE Output(24V 24W/48V 802.3af/at 30W) * 6KV anti-thunder, small size design for outdoor used 	Fiyat Sorunuz
WI-PMS306GF-UPS-I		<ul style="list-style-type: none"> * 4GE+2SFP managed UPS No-break Industrial PoE Switch * Inside solar controller and battery controller for 15A charge current Max and dis-charge battery circulatory from solar Panel * 10hours charge full 12V/24V 150AH lead-acid/lithium battery * Support 12-57V DC IN, 12V/24V Solar Panel Input, 12V/24V Battery 150AH Max * 2*48V PoE out(802.3BT 60W), 2*24V/48V Mixed PoE Output(24V 24W/48V 802.3af/at 30W) * Support monitor battery charging status via WEB GUI * Support QVLAN, QoS and IGMP snooping optimize voice and video application * Industrial Level 4 Protection (ESD,RS,EFT,CS), -40°C ~ 80°C working temperature * Support DIN-RAIL mounted 	Fiyat Sorunuz

<p>WI-PMS310GF-UPS+ V2</p>		<ul style="list-style-type: none"> * 8GE+2SFP L2 Managed UPS No-break 24V-48V Adaptable PoE Switch * Inside solar controller and battery controller for charge and dis-charge battery circulatory from solar Panel and DC INPUT * Support QVLAN,QoS and IGMP snooping optimize voice and video application * WEB/CLI,SNMP managed modes * Internal 150W power / 8*24V-48V PoE Auto PoE Output(30W) * Support 110-250V AC IN, 24-36V Solar Panel , 24V Battery 100AH Max * Support monitor battery charging status 	<p>Fiyat Sorunuz</p>	
<p>Alien series 24-48V WISP PoE Switch(Wi-Tek Smart PoE Tech for WISP)</p>				
<p>WI-PS310GF-Alien</p>		<ul style="list-style-type: none"> * 8GE+2SFP Unmanaged 24V/48V Adaptable PoE Switch * Wi-Tek Smart PoE Tech support 24/48V PoE output via auto-detect * Support overcurrent protection/short-circuit protection * 2SFP fiber port for fiber uplink port up 20KM * Support 48v 802.3af/at and 24v Passive PoE both * Internl 150W power,dual PoE voltage output design * 8xPoE Port output 	<p>Fiyat Sorunuz</p>	
<p>WI-PMS310GF-Alien</p>		<ul style="list-style-type: none"> * 8GE+2SFP managed 24V/48V Adaptable PoE Switch * Wi-Tek Smart PoE Tech support 24/48v PoE output via auto-detect and select in software * Support overcurrent protection/short-circuit protection * Support 48v 802.3af/at and 24v Passive PoE both * Internl 150W power,dual PoE(24V/48V) voltage output design * Support QVLAN,QoS and IGMP snooping optimize voice and video application * WEB/CLI,SNMP managed modes 	<p>Fiyat Sorunuz</p>	
<p>WI-PMS328GF-Alien</p>		<ul style="list-style-type: none"> * 24GE+4Combo SFP managed 24V/48V Adaptable PoE Switch * Wi-Tek Smart PoE Tech support 24/48v PoE output via auto-detect and select in software for port 1-4 * Support 802.3bt 90W for port 5-8, 802.3af/at 30W for port 9-24 * Support overcurrent protection/short-circuit protection * Internl 400W power,dual PoE (24V/48V) voltage output design * Support QVLAN,QoS and IGMP snooping optimize voice and video application * WEB/CLI,SNMP managed modes 	<p>Fiyat Sorunuz</p>	
<p>WI-PMS310GF- Alien-I</p>		<ul style="list-style-type: none"> * 8GE+2SFP Fiber Uplink Industrial 24V/48V Adaptable Managed PoE Switch * Buffer reaches 4Mbit, Support 4K high-definition video transmission * Smart PoE Tech support 24-48V PoE output via auto-detect and select in software * Support fast ring , support 30 pcs switches Max. in a cascade system ,Self-healing in 20ms Min * Industrial Level 4 Protection (ESD,RS,EFT,CS); * -40C ~80C working temperature * IEEE802.3af (15.4W) and IEEE802.3at (30W) * DC Input 18-57V 	<p>Fiyat Sorunuz</p>	
<p>WI-POE61-24V</p>		<ul style="list-style-type: none"> * 2*GE PoE Converter with 1*48V PoE In,1*24V PoE Out * Support Passive PoE 24V Output * Support DC 36-60V Input * Delivers power up to 100 meters * Auto-determine the necessary power requirements * Plug-and-Play, requires no configuration * Short Circuit Protection 	<p>\$34,00</p>	
<p>WI-POE90X</p>		<ul style="list-style-type: none"> * 2*1000Mbps RJ45 Ports with 1*24V PoE IN, 1*48V PoE Out * Support Passive PoE 24V Input(45+78-) * Support 802.3af/at PoE 48V output * Support DC 12-57V Input,can work with Smart Solar Controller * Delivers power up to 100 meters * Auto-determine the necessary power requirements * Plug-and-Play, requires no configuration * Short Circuit Protection 	<p>\$57,00</p>	
<p>Outdoor Waterproof 802.3af/at PoE Switch</p>				
<p>WI-PS210G-O V2</p>		<ul style="list-style-type: none"> * 6FE(PoE)+2GE(HI-PoE)+2GE+1SFP Outdoor PoE Switch+Watchdog * IP65 Weatherproof enclosure, -30 ~70C working temperature * Port 1-6 supports PoE IEEE 802.3af/at 30W for compliant PDs, Port 7-8 support 802.3bt 60W PoE Output * All-in-one for easy installation * Supports PoE IEEE802.3 af/at 30W for compliant PDs * 120W Internal Power / 6KV PoE Surge Protection * 10KV AC Surge Protection 	<p>\$235,00</p>	
<p>WI-PS310GF-O</p>		<ul style="list-style-type: none"> * 6GE(PoE)+2GE(HI-PoE)+2GE+2SFP Outdoor PoE Switch+Watchdog * IP65 Weatherproof enclosure, -30 ~70C working temperature * Port 1-6 supports PoE IEEE 802.3af/at 30W for compliant PDs, Port 7-8 support 802.3bt 60W PoE Output * All-in-one for easy installation * Supports PoE IEEE802.3 af/at/bt for compliant PDs * 120W Internal Power / 6KV PoE Surge Protection * 10KV AC Surge Protection and IP65 Waterproof 	<p>\$345,00</p>	
<p>WI-PS306GF-O</p>		<ul style="list-style-type: none"> * 4GE(PoE)+1GE+1SFP Gigabit Outdoor PoE Switch * IP65 Weatherproof enclosure, -30 ~70C working temperature * All-in-one for easy installation * Supports PoE IEEE802.3 af/at for compliant PDs * 65W Internal Power / 6KV PoE Surge Protection * 10KV AC Surge Protection and IP65 Waterproof 	<p>\$145,00</p>	
<p>WI-PS309GF-O</p>		<ul style="list-style-type: none"> * 6GE(PoE)+2SFP Gigabit Outdoor PoE Switch * IP65 Weatherproof enclosure, -30 ~70C working temperature * All-in-one for easy installation * Supports PoE IEEE802.3 af/at for compliant PDs * 120W Internal Power / 6KV PoE Surge Protection * 10KV AC Surge Protection and IP65 Waterproof 	<p>\$285,00</p>	
<p>Economic 802.3af/at PoE Switch</p>				
<p>WI-PS205H V2</p>		<ul style="list-style-type: none"> * 4FE+2FE CCTV+Watchdog+40W+250M economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 40W * Support CCTV mode(250m PoE+Port VLAN) * 2K entry MAC address table with auto-learning and auto-aging * Supports smart watchdog function to monitor compliant PD 	<p>\$50,00</p>	

WI-PS210H		<ul style="list-style-type: none"> * 8FE+2FE CCTV+Watchdog+65W+250M economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 65W * Support CCTV mode(250m PoE+Port VLAN) * 4K entry MAC address table with auto-learning and auto-aging * Supports smart watchdog function to monitor compliant PD 	\$88,40
WI-PS518GH		<ul style="list-style-type: none"> * 16FE+1GE+1Combo SFP+Watchdog+150W+250M Economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 150W * Support CCTV mode(250m PoE+Port VLAN) * 8K entry MAC address table with auto-learning and auto-aging * Supports smart watchdog function to monitor compliant PD 	\$254,00
WI-PS526GH		<ul style="list-style-type: none"> * 24FE+1G+1Combo SFP+Watchdog+200W+250M Economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 200W * Support CCTV mode(250m PoE+Port VLAN) * 8K entry MAC address table with auto-learning and auto-aging * Supports smart watchdog function to monitor compliant PD 	\$310,00
WI-PS305GH		<ul style="list-style-type: none"> * 5 Gigabit Ports PoE Switch with 4Port PoE * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Support CCTV mode(250m PoE+Port VLAN) * Internal power adapter supply 45W * 4K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset guarantee stable performance * Supports smart watchdog function to monitor compliant PD 	Fiyat Sorunuz
WI-PS308GH V2		<ul style="list-style-type: none"> * 8GE CCTV 250M+65W Economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Support CCTV mode(250m PoE+Port VLAN) * Internal power adapter supply 65W * 4K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset guarantee stable performance * Supports smart watchdog function to monitor compliant PD 	Fiyat Sorunuz
WI-PS309GFH		<ul style="list-style-type: none"> * 8GE+1GE+1SFP+CCTV 250M+65W Economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Support CCTV mode(250m PoE+Port VLAN) * Internal power adapter supply 65W * 4K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset guarantee stable performance * Supports smart watchdog function to monitor compliant PD 	\$131,00
WI-PS318GFH		<ul style="list-style-type: none"> * 16GE+2Combo SFP CCTV+250M+200W Economic PoE Switch * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Support CCTV mode(250m PoE+Port VLAN) * Internal power adapter supply 200W * 4K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset guarantee stable performance * Supports smart watchdog function to monitor compliant PD 	Fiyat Sorunuz
WI-PS326GFH		<ul style="list-style-type: none"> * 24GE+2SFP PoE Switch with 24Port PoE * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Support CCTV mode(250m PoE+Port VLAN) * Internal power adapter supply 250W * 8K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset guarantee stable performance * Supports smart watchdog function to monitor compliant PD 	Fiyat Sorunuz
250meters Long-Range PoE Switch for CCTV(Watchdog function)			
WI-PS205 V2		<ul style="list-style-type: none"> * 4FE+2FE Uplink+HiPoE+250M+Watchdog +65W PoE Switch * Supports smart watchdog function to monitor compliant PD * Supports PoE power up to 30W for each port * Supports 802.3bt 60W Hi PoE standard * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 65W * Support 250meters Long range PoE Transmit * 2K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset+TI PoE Chipset guarantee stable performance 	\$65,00
WI-PS210 V2		<ul style="list-style-type: none"> * 8FE+2FE Uplink+HiPoE+250M+Watchdog+120W Switch * Supports smart watchdog function to monitor compliant PD * Supports PoE power up to 30W for each port * Supports 802.3bt 60W Hi PoE standard * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 120W * Support 250meters Long range PoE Transmit * 4K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset+TI PoE Chipset guarantee stable performance 	Fiyat Sorunuz
WI-PS210G V2		<ul style="list-style-type: none"> * 8FE+2GE Uplink+HiPoE+250M+Watchdog+120W Switch * Supports smart watchdog function to monitor compliant PD * Supports PoE power up to 30W for each port * Supports 802.3bt 60W Hi PoE standard * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 120W * Support 250meters Long range PoE Transmit * 4K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset+TI PoE Chipset guarantee stable performance 	\$123,00
WI-PS518G V3		<ul style="list-style-type: none"> * 16FE+1GE+1Combo SFP+HiPoE+250M+Watchdog+200W Switch * Supports smart watchdog function to monitor compliant PD * Supports PoE power up to 30W for each port * Supports 802.3bt 60W Hi PoE standard (Port1/2) * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 200W * Support 250meters Long range PoE Transmit * 8K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset+TI PoE Chipset guarantee stable performance 	Fiyat Sorunuz













WI-PS526G V2		<ul style="list-style-type: none"> * 24FE+2Combo SFP+250M HiPoE+Watchdog+250W Switch * Supports smart watchdog function to monitor compliant PD * Supports PoE power up to 30W for each port * Supports 802.3bt 60W Hi PoE standard (Port1/2) * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 250W * Support 250meters Long range PoE Transmit * 8K entry MAC address table with auto-learning and auto-aging * Realtek Switch Chipset+TI PoE Chipset guarantee stable performance 	Fiyat Sorunuz
48V 802.3af/at Fiber PoE Switch			
WI-PS105F		<ul style="list-style-type: none"> * 5FE+1SC Fiber 802.3af/at PoE Switch+65W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 65W * LED indicators for LINK/ACT,Power, PoE Status, 10/100Mbps * 4K entry MAC address table with auto-learning and auto-aging 	\$118,00
WI-PS110F sales suspension		<ul style="list-style-type: none"> * 8FE+1Giga Combo SFP PoE Switch+150W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 150W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 4K entry MAC address table with auto-learning and auto-aging 	Fiyat Sorunuz
WI-PS128GF sales suspension		<ul style="list-style-type: none"> * 24FE+4Giga Combo SFP PoE Switch+350W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 350W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 8K entry MAC address table with auto-learning and auto-aging 	Fiyat Sorunuz
WI-PS150GF		<ul style="list-style-type: none"> * 48FE+2 Gigabit Combo SFP PoE Switch+700W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 700W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 16K entry MAC address table with auto-learning and auto-aging 	\$970,00
Full Gigabit 48V 802.3af/at PoE Switch			
WI-PS305G V2		<ul style="list-style-type: none"> * 4GE+2GE uplink+HiPoE+Watchdog Switch+65W * Supports smart watchdog function to monitor compliant PD * Support 250meters Long range PoE Transmit for Port 1-2 * Supports 802.3bt 60W HiPoE standard for Port1 * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 65W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps 	\$100,00
WI-PS308G V2		<ul style="list-style-type: none"> * 8GE+2GE uplink+HiPoE+Watchdog Switch+120W * Supports smart watchdog function to monitor compliant PD * Support 250meters Long range PoE Transmit for Port 1-2 * Supports 802.3bt 60W Hi PoE standard for Port1 * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 120W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 4K entry MAC address table with auto-learning and auto-aging 	\$190,00
WI-PS305GF		<ul style="list-style-type: none"> * 4GE+1GE+1SFP Fiber PoE Switch+65W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 65W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 2K entry MAC address table with auto-learning and auto-aging 	\$132,00
WI-PS309GF		<ul style="list-style-type: none"> * 8GE+1Giga Combo SFP PoE Switch+150W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 150W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 4K entry MAC address table with auto-learning and auto-aging 	\$230,00
WI-PS310GF		<ul style="list-style-type: none"> * 8GE+2SFP uplink PoE Switch+150W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 150W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 4K entry MAC address table with auto-learning and auto-aging 	Fiyat Sorunuz
WI-PS318GF		<ul style="list-style-type: none"> * 16GE+2SFP uplink PoE Switch+350W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 350W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 8K entry MAC address table with auto-learning and auto-aging 	\$630,00
WI-PS320GF		<ul style="list-style-type: none"> * 16GE+2Combo SFP PoE Switch+350W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 350W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 8K entry MAC address table with auto-learning and auto-aging 	Fiyat Sorunuz
WI-PS326GF		<ul style="list-style-type: none"> * 24GE+2SFP PoE Switch+400W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 400W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 8K entry MAC address table with auto-learning and auto-aging 	\$600,00
WI-PS328GF		<ul style="list-style-type: none"> * 24GE+4Combo SFP PoE Switch+400W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/atcompliant PDs * Internal power adapter supply 400W * LED indicators for LINK/ACT,Power, PoE Status, 100/1000Mbps * 8K entry MAC address table with auto-learning and auto-aging 	Fiyat Sorunuz
SNMP Managed Gigabit 48V 802.3af/at PoE Switch			
WI-PMS310GF		<ul style="list-style-type: none"> * 8GE+2SFP SNMP Managed PoE Switch+150W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 150W * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz
WI-PMS312GF		<ul style="list-style-type: none"> * 8GE+4Combo SFP SNMP Managed PoE Switch+150W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 150W * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz

WI-PMS318GF		<ul style="list-style-type: none"> * 16GE+2SFP SNMP Managed PoE Switch+350W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 350W * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz
WI-PMS320GF		<ul style="list-style-type: none"> * 16GE+2Combo SFP SNMP Managed PoE Switch+350W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 350W * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz
WI-PMS326GF		<ul style="list-style-type: none"> * 24GE+2SFP SNMP Managed PoE Switch+400W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 400W * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz
WI-PMS328GF		<ul style="list-style-type: none"> * 24GE+4Combo SFP SNMP Managed PoE Switch+400W * Supports PoE power up to 30W for each port * Supports PoE IEEE 802.3af/at compliant PDs * Internal power adapter supply 400W * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz
100Mbps & Gigabit Ethernet Switch			
WI-SG105		<ul style="list-style-type: none"> * 5xGigabit Steel Case Desktop Ethernet Switch * 5 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Non-blocking switching architecture enables full wire-speed packets forwarding and filtering * Fanless design ensures quiet operation without disturbing your family 	\$35,00
WI-SG108		<ul style="list-style-type: none"> * 8xGigabit Steel Case Desktop Ethernet Switch * 8 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Support Port VLAN avoid broadcast storm * Fanless design ensures quiet operation without disturbing your family 	\$51,15
WI-SG116D No more than 100pcs every time		<ul style="list-style-type: none"> * 16xGigabit Desktop Ethernet Switch * 16 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 13-inch Desktop steel case * Plug and Play design simplifies installation 	\$168,00
WI-SG124D No more than 100pcs every time		<ul style="list-style-type: none"> * 24xGigabit Desktop Ethernet Switch * 24 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 13-inch Desktop steel case * Plug and Play design simplifies installation 	\$210,00
WI-SG116 sales suspension		<ul style="list-style-type: none"> * 16xGigabit rack-mountable Ethernet Switch * 16 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 19-inch rack-mountable steel case * Plug and Play design simplifies installation 	Fiyat Sorunuz
WI-SG124 sales suspension		<ul style="list-style-type: none"> * 24xGigabit rack-mountable Ethernet Switch * 24 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 19-inch rack-mountable steel case * Plug and Play design simplifies installation 	Fiyat Sorunuz
WI-SG116F sales suspension		<ul style="list-style-type: none"> * 16GE+2SFP Full Giga rack-mountable Ethernet Switch * 18 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 19-inch rack-mountable steel case * Plug and Play design simplifies installation 	\$194,00
WI-SG124F sales suspension		<ul style="list-style-type: none"> * 24GE+2SFP Full Giga Rack-mountable/Desktop Ethernet Switch * 26 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 19-inch rack-mountable steel case * Plug and Play design simplifies installation 	\$230,00
Fiber Ethernet Switch			
WI-SG310F		<ul style="list-style-type: none"> * 8SFP+2GE Gigabit rack-mountable Fiber Ethernet Switch * 10 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Plug and Play design simplifies installation * Plans different power output for different cable lengths 	\$230,00
WI-SG324F		<ul style="list-style-type: none"> * 16SFP+8GE Gigabit rack-mountable Fiber Ethernet Switch * 24 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 19-inch rack-mountable steel case * Plug and Play design simplifies installation 	\$690,00
WI-GS5024		<ul style="list-style-type: none"> * 18SFP+8GE Gigabit rack-mountable Fiber Ethernet Switch * 24 Auto-Negotiation, Auto-MDI/MDIX Ethernet ports provide smart switching * Standard 19-inch rack-mountable steel case * WEB/CLI managed modes, SNMP, RMON bring abundant management features 	Fiyat Sorunuz
Industrial PoE Switch			
WI-PS206-I V2		<ul style="list-style-type: none"> * 4FE+2FE Industrial PoE Switch * Support 250meters Long range PoE Transmit * Port VLAN function prevent voice data obstruct * Industrial Level 4 protection(ESD,RS,EFT,CS); * -40°C~80°C working temperature * DC Input 48-55V 	\$130,00
WI-PS208-I		<ul style="list-style-type: none"> * 8FE Industrial PoE Switch with 8Port PoE * Support 250meters Long range PoE Transmit * Supports smart watchdog function to monitor compliant PD * Industrial Level 4 protection(ESD,RS,EFT,CS); * -40°C~80°C working temperature * DC Input 37-57V 	Fiyat Sorunuz
WI-PS206GF-I		<ul style="list-style-type: none"> * 4FE+1GE+1SFP Fiber Uplink Industrial PoE Switch with 4Port PoE * Buffer reaches 4Mbit, Support 4K high-definition video transmission * Supports smart watchdog function to monitor compliant PD * Support 250meters Long-Range PoE * Support PoE Priority and Port VLAN * Industrial Level 4 protection(ESD,RS,EFT,CS); * -40°C~80°C working temperature * IEEE802.3af (15.4W) and IEEE802.3at (30W) * DC Input 37-57V 	\$146,00
WI-PS212GF-I		<ul style="list-style-type: none"> * 8FE+2GE+2SFP Fiber Uplink Industrial PoE Switch with 8Port PoE * Buffer reaches 4Mbit, Support 4K high-definition video transmission * Supports smart watchdog function to monitor compliant PD * Support 250meters Long-Range PoE * Support PoE Priority and Port VLAN * Industrial Level 4 protection(ESD,RS,EFT,CS); * -40°C~80°C working temperature * IEEE802.3af (15.4W) and IEEE802.3at (30W) 	\$200,00
WI-PS302GF-I		<ul style="list-style-type: none"> * 1GE+1SFP Fiber Uplink Industrial PoE Switch with 1Port PoE * Buffer reaches 4Mbit, Support 4K high-definition video transmission * Supports smart watchdog function to monitor compliant PD * Support 250meters Long-Range PoE * Industrial Level 4 protection(ESD,RS,EFT,CS); * -40°C~80°C working temperature * IEEE802.3af (15.4W) and IEEE802.3at (30W) * DC Input 37-57V 	Fiyat Sorunuz

<p>WI-PS306GF-I V2</p>		<ul style="list-style-type: none"> * 4GE+2SFP Fiber Uplink Industrial PoE Switch with 4Port PoE * Buffer reaches 4Mbit, Support 4K high-definition video transmission * Supports smart watchdog function to monitor compliant PD * Support 250meters Long-Range PoE * Port 1-2 Support 24V/48V PoE auto-detect, Port 3-4 Support 802.3BT 60W * Industrial Level 4 protection(ESD,RS,EFT,CS); * -40℃~80℃ working temperature * IEEE802.3af (15.4W) and IEEE802.3at (30W) * DC Input 37-57V 	<p>Fiyat Sorunuz</p>
<p>WI-PS310GF-I V2</p>		<ul style="list-style-type: none"> * 8GE+2Combo SFP Fiber Uplink Industrial PoE Switch * Buffer reaches 4Mbit, Support 4K high-definition video transmission * Port 1-2 Support 24V/48V PoE auto detect, Port 3-4 Support 802.3BT 60W * Supports smart watchdog function to monitor compliant PD * Support fast ring , support 30 pcs switches Max. in a cascade system , Self-healing in 20ms Min * Industrial Level 4 Protection (ESD,RS,EFT,CS); * -40℃~80℃ working temperature * IEEE802.3af (15.4W) and IEEE802.3at (30W) * DC Input 37-57V 	<p>\$442,00</p>
<p>WI-PMS305GF-I</p>		<ul style="list-style-type: none"> * 4GE(PoE Out)+1GE uplink(PD BT 60W)+1SFP Uplink+Watchdog Managed Industrial PoE Switch * Supports smart watchdog function to monitor compliant PD * Support Alarm Input and Alarm Output * Port 3-4 Support 802.3BT 60W, Port 1-2 Support 24V/48V PoE Adaptable * Support Web-based network management, support VLAN, QoS, RSTP, SNMP etc. network function * Support fast ring ,support 30 pcs switches Max. in a cascade system , Self-healing in 20ms Min * Industrial Level 4 protection(ESD,RS,EFT,CS); -40℃~80℃ working temperature; * DC Input 48-55V 	<p>Fiyat Sorunuz</p>
<p>WI-PMS306GF-I</p>		<ul style="list-style-type: none"> * 4GE+2SFP Uplink Watchdog Managed Industrial PoE Switch * Supports smart watchdog function to monitor compliant PD * Support Alarm Input and Alarm Output * Port 3-4 Support 802.3BT 60W, Port 1-2 Support 24V/48V PoE Adaptable * Support Web-based network management, support VLAN, QoS, RSTP, SNMP etc. network function * Support fast ring ,support 30 pcs switches Max. in a cascade system , Self-healing in 20ms Min * Industrial Level 4 protection(ESD,RS,EFT,CS); -40℃~80℃ working temperature; * DC Input 48-55V 	<p>Fiyat Sorunuz</p>
<p>WI-PMS312GF-I V2</p>		<ul style="list-style-type: none"> * 8GE+4SFP Uplink+Watchdog Managed Industrial PoE Switch * Supports smart watchdog function to monitor compliant PD * Support Alarm Input and Alarm Output * Port 3-4 Support 802.3BT 60W, Port 1-2 Support 24V/48V PoE Adaptable * Support Web-based network management, support VLAN, QoS, RSTP, SNMP etc. network function * Support fast ring ,support 30 pcs switches Max. in a cascade system , Self-healing in 20ms Min * Industrial Level 4 protection(ESD,RS,EFT,CS); -40℃~80℃ working temperature; * DC Input 48-55V 	<p>Fiyat Sorunuz</p>
<p>WI-MS318GF-I</p>		<ul style="list-style-type: none"> * 8GE+10SFP Fiber L2 Managed Industrial Switch * Support Alarm Input and Alarm Output * Support Web-based network management, support VLAN, QoS, RSTP, SNMP etc. network function * Support fast ring ,support 30 pcs switches Max. in a cascade system , Self-healing in 20ms Min * Industrial Level 4 protection(ESD,RS,EFT,CS); -40℃~80℃ working temperature; * DC Input 12-57V 	<p>Fiyat Sorunuz</p>
<p>DC 12-57V Wide Voltage Industrial PoE Switch/PoE Injector</p>			
<p>WI-PS305G-I-DC</p>		<ul style="list-style-type: none"> * 5 Gigabit Ports Unmanaged 48V 802.3 af/at PoE Switch * Supports smart watchdog function to monitor compliant PD * Supports Port VLAN * Ports 1-4 support 250meters PoE Transmit * Support overcurrent protection/short-circuit protection * Industrial Level 4 Protection (ESD,RS,EFT,CS); * -40℃~80℃ working temperature * Support DIN-RAIL mounted * DC Input 12-57V, can work with Smart Solar Controller 	<p>Fiyat Sorunuz</p>
<p>802.3BT 90W PoE Switch/PoE Injector/PoE Splitter</p>			
<p>WI-PS310GF-BT</p>		<ul style="list-style-type: none"> * 8GE PoE(BT 90W)+1G+1SFP Ports Unmanaged 48V 802.3bt PoE Switch * Supports smart watchdog function to monitor compliant PD * Support 802.3 af/at/bt standard 90W PoE Output * Support overcurrent protection/short-circuit protection * Internal power adapter supply 400W AC INPUT 100-240V 	<p>Fiyat Sorunuz</p>
<p>WI-POE58-BT-I-DC</p>		<ul style="list-style-type: none"> * 1GE BT 90W PoE+1GE Uplink Industrial PoE Injector * Support camera, wireless AP, and IP phone etc. * All ports support wire speed switch, jumbo frame transmission. * Support 802.3 af/at/bt standard 90W PoE Output * Industrial Level 4 Protection (ESD,RS,EFT,CS); * -40℃~80℃ working temperature * DC Input 12-57V, can work with Smart Solar Controller * Support DIN-RAIL mounted 	<p>Fiyat Sorunuz</p>
<p>Industrial PoE Extender</p>			
<p>WI-POE21E-O</p>		<ul style="list-style-type: none"> * 2GE PoE Output(802.3af/at 30W)+1GE PoE Input(802.3bt 60W) PoE Extender * PoE Output Support 100meter long-Range PoE transmit * All ports support wire speed switch, jumbo frame transmission. * Outdoor IP68 Waterproof design * Industrial Level 4 protection(ESD,RS,EFT,CS); -40℃~80℃ working 	<p>Fiyat Sorunuz</p>

WI-POE22E-O		<ul style="list-style-type: none"> *2GE PoE Output(1*802.3af/at 30W+1*802.3af/at 60W)+1GE PoE Input(802.3bt 90W) PoE Extender * PoE Output Support 100meter long-Range PoE transmit * All ports support wire speed switch, jumbo frame transmission. * Outdoor IP68 Waterproof design * Industrial Level 4 protection(ESD,RS,EFT,CS); -40°C~80°C working 	Fiyat Sorunuz
WI-POE56-60W-O		<ul style="list-style-type: none"> *2GE PoE injector with 2*RJ45 Port (60W) * Support camera, wireless AP, and IP phone etc. * Support 802.3bt 60W PoE Output * Outdoor IP68 Waterproof design * Industrial Level 4 protection(ESD,RS,EFT,CS); -40°C~80°C working 	Fiyat Sorunuz
WI-POE56S-BT-I-O		<ul style="list-style-type: none"> * Gigabit PoE Splitter with 1*RJ45 Port * DC output 12V 5A * PoE IN Comply to IEEE802.3af/at/bt 90W * Support camera, wireless AP, and IP phone etc. * Outdoor IP68 Waterproof design * Industrial Level 4 protection(ESD,RS,EFT,CS); -40°C~80°C working 	Fiyat Sorunuz
PoE Injector, Splitter and Extender			
WI-POE31-48V		<ul style="list-style-type: none"> * 2*100Mbps Fast PoE injector * Support camera, wireless AP, and IP phone etc. * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at PoE Out * Plug and play, self-adaption. * AC IN 100-220V 	\$17,00
WI-POE51-48V		<ul style="list-style-type: none"> * 2*100Mbps Gigabit PoE injector * Support camera, wireless AP, and IP phone etc. * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at PoE Out * Plug and play, self-adaption. * AC IN 100-220V 	\$35,00
WI-POE55-48V-60W		<ul style="list-style-type: none"> * 2*100Mbps Gigabit PoE injector+60W * Support camera, wireless AP, and IP phone etc. * All ports support wire speed switch, jumbo frame transmission. * Support Hi-PoE standard 60W PoE Output * Plug and play, self-adaption. * AC IN 100-220V 	\$50,00
WI-POE31-24V		<ul style="list-style-type: none"> * 24V PoE injector with 2*RJ45 Port * Support Ubnt,Mikrotik,Cambium, Wi-Tek brand CPE etc * All ports support wire speed switch, jumbo frame transmission. * Support 24V PoE Out(PoE PIN 45+ 78-) * Plug and play, self-adaption. * AC IN 100-220V 	Fiyat Sorunuz
WI-POE51-24V		<ul style="list-style-type: none"> * 24V GE PoE injector with 2*RJ45 Port * Support Ubnt,Mikrotik,Cambium, Wi-Tek brand CPE etc. * All ports support wire speed switch, jumbo frame transmission. * Support 24V PoE Out(PoE PIN 45+ 78-) * Plug and play, self-adaption. * AC IN 100-220V 	Fiyat Sorunuz
WI-POE11S-48V		<ul style="list-style-type: none"> * Single Port*100Mbps Fast PoE Splitter * DC output 12V 1A * 48V PoE IN Comply to IEEE802.3af/at * Support camera, wireless AP, and IP phone etc. * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at PoE device * Plug and play, self-adaption. * Built-in high performance chip and high specification circuit board 	\$8,50
WI-PE31E		<ul style="list-style-type: none"> * 2FE PoE Output+1FE PoE Input PoE Extender * PoE Output Support 150meter long-Range PoE transmit * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at 30W PoE Output * Plug and play, self-adaption. * DC Input 48-55V 	Fiyat Sorunuz
WI-PE51E		<ul style="list-style-type: none"> * 4FE PoE Output+1FE PoE Input +1FE Uplink port PoE Extender * PoE Input port support 60W Hi-PoE * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at 30W PoE Output * Plug and play, self-adaption. * DC Input 48-55V 	Fiyat Sorunuz
WI-PE31G		<ul style="list-style-type: none"> * 2GE PoE Output+1GE PoE Input PoE Extender * PoE Output Support 100meter long-Range PoE transmit * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at 30W PoE Input and Output * Plug and play, self-adaption. * DC Input 48-55V 	Fiyat Sorunuz
WI-PE51G		<ul style="list-style-type: none"> * 4GE PoE Output+1GE PoE Input PoE Extender * PoE Input port support 90W Hi-PoE * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at 30W PoE Output * Plug and play, self-adaption. * DC Input 48-55V 	Fiyat Sorunuz
WI-PE41E-O		<ul style="list-style-type: none"> * 3FE PoE Output+1FE PoE Input Outdoor PoE Extender * PoE Input port support 60W 802.3bt PoE * All ports support wire speed switch, jumbo frame transmission. * Support 802.3af/at 30W PoE Output * Plug and play, self-adaption. * DC Input 48-52V,IP65 Waterproof Design 	Fiyat Sorunuz
Gigabit SFP Fiber module			
WI-SFP10SC-3KM (Set olarak satılır)		<ul style="list-style-type: none"> * 3km 1.25Gbps Single module Single Fiber Transceivers * Tx1310nm/Rx1550nm and Tx1550nm/Rx1310nm FP SFP * Distance up to 3km over SMF * Simplex SC connector * Compliant with SFP MSA * Digital Diagnostic Monitoring * Hot-pluggable SFP feature 	Fiyat Sorunuz
WI-SFP10LC-3KM (Set olarak satılır)		<ul style="list-style-type: none"> * 3km 1.25Gbps Single module Single Fiber Transceivers * Tx1310nm/Rx1550nm and Tx1550nm/Rx1310nm FP SFP * Distance up to 3km over SMF * Simplex LC connector * Compliant with SFP MSA * Digital Diagnostic Monitoring * Hot-pluggable SFP feature 	Fiyat Sorunuz
WI-SFP10SC-20KM (Set olarak satılır)		<ul style="list-style-type: none"> * 20km 1.25Gbps Single module Single Fiber Transceivers * Tx1310nm/Rx1550nm and Tx1550nm/Rx1310nm FP/DFB SFP * Distance up to 20km over SMF * Simplex SC connector * Compliant with SFP MSA * Digital Diagnostic Monitoring * Hot-pluggable SFP feature 	Fiyat Sorunuz
WI-SFP10LC-20KM (Set olarak satılır)		<ul style="list-style-type: none"> * 20km 1.25Gbps Single module Single Fiber Transceivers * Tx1310nm/Rx1550nm and Tx1550nm/Rx1310nm FP/DFB SFP * Distance up to 20km over SMF * Duplex LC connector * Compliant with SFP MSA * Digital Diagnostic Monitoring * Hot-pluggable SFP feature 	Fiyat Sorunuz

WI-SFP20-20KM (sell in PCS)		<ul style="list-style-type: none"> * 20km 1.25Gbps Single module Double Fiber Transceivers * Tx1310nm/Rx1310nm DDM SFP * Distance up to 20km over SMF * Duplex LC connector * Compliant with SFP MSA * Digital Diagnostic Monitoring * Supports MDIX 	\$23,00
WI-SFP30 (sell in PCS)		<ul style="list-style-type: none"> * Compliant with IEEE 802.3ab/ Gigabit Ethernet Standard * Distance up to 100meters up 1Gbps Spdd * 10/100/1000BASE-T with SGMII interface * Compliant with SFP MSA * Supports MDIX 	Fiyat Sorunuz
Wireless Long-Range Transmit for CCTV IP Camera			
WI-CPE111-KIT V2 (Set olarak satılır)		<ul style="list-style-type: none"> * 2.4G 300M 2KM Wireless CPE for CCTV * 2KM wireless transmit for Carry 16pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 8dBi antenna * 24V PoE Support * 2.412GHz ~ 2.484GHz Extension Channel * auto-connect for PTP application, no need setting software * Support google Map view to let users know project location for easy management 	Fiyat Sorunuz
WI-CPE511-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 5KM wireless transmit for Carry 26pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 16dBi antenna * 24V PoE Support * 6KV Lightning Protection * 4920-6100MHz Extension Channel * auto-connect for PTP application, no need setting software 	Fiyat Sorunuz
WI-CPE511H-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 5.8G 3KM 900M Wireless CPE for CCTV * 3KM wireless transmit for Carry 26pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 12dBi antenna * 24V PoE Support * 5.150GHz ~ 5.850GHz Extension Channel * auto-connect for PTP application, no need setting software * Support google Map view to let users know project location for easy management * Discovery ONIVF IP camera and view network topology on Cloud 	\$180,00
WI-CPE513P-KIT V3 (Set olarak satılır)		<ul style="list-style-type: none"> * 5.8G 3KM 300M Wireless CPE for CCTV * 3KM wireless transmit for Carry 26pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 13dBi antenna * 802.3af/at PoE Passthrough, can power up camera directly * 5.150GHz ~ 5.850GHz Extension Channel * auto-connect for PTP application, no need setting software * Support google Map view to let users know project location for easy management 	\$260,00
WI-CPE515H-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 5.8G 8KM 300M Wireless CPE for CCTV * 8KM wireless transmit for Carry 30pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 16dBi antenna * 24V PoE Support * 5.150GHz ~ 5.850GHz Extension Channel * auto-connect for PTP application, no need setting software * Support google Map view to let users know project location for easy management 	\$304,00
WI-CPE515-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 5.8G 10KM 300M Wireless CPE for CCTV * 10KM wireless transmit for Carry 30pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 16dBi antenna * 24V PoE Support * 6KV Lightning Protection * 4920-6100MHz Extension Channel * auto-connect for PTP application, no need setting software 	Fiyat Sorunuz
WI-CPE518-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 15KM wireless transmit for Carry 30pcs camera Max * Built-in 2x2 dual-polarized directional MIMO 25dBi antenna * 24V PoE Support * 6KV Lightning Protection * 4920-6100MHz Extension Channel * auto-connect for PTP application, no need setting software 	Fiyat Sorunuz
WI-CPE800-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 5.8G 5KM 900M Wireless CPE for CCTV * 500mW High power output, coverage up to 5KM for PTP and PTMP application * Wireless AC speed up to 900Mbps * Bipolar 16dBi antenna * 5KM wireless transmit for Carry 100pcs camera Max * Adheres 600MHz Chipset 64MB RAM 	Fiyat Sorunuz
WI-CPE900-KIT (Set olarak satılır)		<ul style="list-style-type: none"> * 5.8G Dish Antenna 10KM 900M Wireless CPE for CCTV * 500mW High power output, coverage up to 10KM for PTP and PTMP application * Wireless AC speed up to 900Mbps * Built-in 2x2 dual-polarized directional MIMO 25dBi antenna * 10KM wireless transmit for Carry 160pcs camera Max * 4920-6100MHz Extension Channel 	Fiyat Sorunuz
WI-CPE521 Suspend sales		<ul style="list-style-type: none"> * 802.11N 5.8G OMNI Antenna 300Mbps 2KM Outdoor Wireless CPE * 500mW High power output, coverage up to 2KM for PTP and PTMP Station application * Wireless A/N speed up to 300Mbps * Support open frequency from 4920 to 6100 MHz * Inside 360 degree 12dBi OMNI Antenna Technology * Passive PoE Adapter supports up to 100 meter * 1 PoE Port design, 24V PoE adapter Included * 10KV Lightning Protection and IP67 waterproof 	Fiyat Sorunuz
WI-CPE517		<ul style="list-style-type: none"> * 802.11N 5.8Ghz Sector Antenna 300M 5KM Outdoor Wireless CPE * 500mW High power output, coverage up to 5KM for PTP and PTMP Station application * Wireless A/N speed up to 300Mbps * Integrate 16dBi 150 degree Sector antenna * Support Super TDMA protocol * Support PoE Pass-through * 4920-6100MHz Extension Channel * 6KV Lightning Protection 	Fiyat Sorunuz
Fiber Optical Transceiver			
WI-MC101M (Set olarak satılır)		<ul style="list-style-type: none"> * 20km 100Mbps Single Fiber Optic Media Converter * Ambient temperature: 0 ~ +50°C Storage temperature: -20 ~ +70°C * Humidity: 5% ~ 90% * Connector: UTP: RJ-45, 10/100Mbps; Fiber: SC, 100Mbps * Support Tag-VLAN, Port-VLANs 	\$60,00
WI-MC101G (Set olarak satılır)		<ul style="list-style-type: none"> * 20km 100Mbps Single Fiber Optic Media Converter * Ambient temperature: 0 ~ +50°C Storage temperature: -20 ~ +70°C * Humidity: 5% ~ 90% * Connector: UTP: RJ-45, 10/100Mbps; Fiber: SC, 100Mbps * Support Tag-VLAN, Port-VLANs * Supports up to 8192-bits VLANs frames 	Fiyat Sorunuz

WI-MC103G (Set olarak satılır)		3Km 1000Mbps Single Fiber Optic Media Converter <ul style="list-style-type: none"> * Ambient temperature: 0 ~ +50°C Storage temperature: -20 ~ +70°C * Humidity: 5% ~ 90% * Connector: UTP: RJ-45,100/1000Mbps; Fiber: SC,1000Mbps * Support Tag-VLAN,Port-VLANs * Supports up to 9k byte JUMBO frame 	Fiyat Sorunuz
WI-MC111G (sell in pcs)		<ul style="list-style-type: none"> * Gigabit SFP Media Converter * 1 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX * Connector: UTP: RJ-45,100/1000Mbps; Fiber: SFP,1000Mbps * Complies with IEEE 802.3ab and IEEE 802.3z * Supports up to 9k byte JUMBO frame * FX port supports hot-swappable * Maximum transmission distance depends on the inserting SFP 	\$55,00
WI-MC111GP (sell in pcs)		<ul style="list-style-type: none"> * Gigabit PoE SFP Media Converter * 1 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX * Connector: UTP: RJ-45,100/1000Mbps; Fiber: SFP,1000Mbps * RJ45 Port support 802.3af/at PoE output 30W * Complies with IEEE 802.3ab,IEEE 802.3af/at and IEEE 802.3z * Supports up to 9k byte JUMBO frame * FX port supports hot-swappable * Maximum transmission distance depends on the inserting SFP 	Fiyat Sorunuz
WI-MC111GP-O (sell in pcs)		<ul style="list-style-type: none"> * Gigabit SFP Outdoor Media Converter * 1 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX * Connector: UTP: RJ-45,100/1000Mbps; Fiber: SFP,1000Mbps * Complies with IEEE 802.3ab and IEEE 802.3z * Supports up to 9k byte JUMBO frame * FX port supports hot-swappable * Maximum transmission distance depends on the inserting SFP * DC Input 37-52V,IP67 Waterproof Design 	Fiyat Sorunuz
Indoor and Outdoor AP +AC controller			
WI-AP210		<ul style="list-style-type: none"> * 802.11N 2.4G 300Mbps Indoor Wireless Ceiling Cloud managed AP * Atheros chipset 128MB DDR2, 16MB Flash, 500mW High-Power,access 50users * 2*5dB inside antenna * 48V PoE Support(not include PoE adapter) * Support hardware controller managed * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	Fiyat Sorunuz
WI-AP210-Lite		<ul style="list-style-type: none"> * 802.11N 2.4G 300Mbps Indoor Wireless Ceiling AP * MTK chipset 64MB DDR2, 8MB Flash, 128mW High-Power,access 30users * 2*5dB inside antenna * 48V PoE Support,not include PoE adapter * Support hardware controller managed * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	\$75,00
WI-AP215		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 750M Indoor Wireless Ceiling Cloud Managed AP * 11AC 2.4Ghz 300Mbps+5.8Ghz 443Mbps * Atheros chipset 128MB DDR2, 16MB Flash, 500mW High-Power,access 90users * 3*5dB inside antenna * 48V PoE Support(not include PoE adapter) * Support hardware controller managed 	Fiyat Sorunuz
WI-AP216		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Indoor Wireless Ceiling AP * 11AC Wave2 2.4Ghz 300Mbps+5.8Ghz 887Mbps * MTK chipset 64MB DDR2, 8MB Flash, 200mW High-Power,access 48users * 2*5dB inside antenna * 48V PoE Support,not include PoE adapter * Support hardware controller managed * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	\$92,00
WI-AP217		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Indoor Wireless Ceiling Cloud Managed AP * 11AC Wave2 2.4Ghz 300Mbps+5.8Ghz 887Mbps * Atheros chipset 128MB DDR2, 16MB Flash, 500mW High-Power,access 150users * 4*5dB inside antenna * 48V PoE Support,Gigabit Port(not include PoE adapter) * Support hardware controller managed 	Fiyat Sorunuz
WI-AP217-Lite		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Indoor Wireless Ceiling AP * 11AC Wave2 2.4Ghz 300Mbps+5.8Ghz 887Mbps * Atheros chipset 128MB DDR2, 16MB Flash, 250mW High-Power,access 80users * 4*5dB inside antenna * 48V PoE Support,2 x Gigabit Port, not include PoE adapter * Support hardware controller managed 	\$122,00
WI-AP218AX		<ul style="list-style-type: none"> * 802.11AC 2.4&5.8GHz 1775Mbps Wi-Fi6 SME Cloud Ceiling AP * Ultra-Fast Wi-Fi 6 Speeds: Simultaneous 574Mbps on 2.4 GHz and 1201Mbps on 5 GHz totals 1775Mbps Wi-Fi speeds * OFDMA and Uplink & Downlink MU-MIMO increase network capacity by up to 4x versus Wi-Fi 5 (802.11ac) in high-density environments to connect more devices simultaneously * Atheros chipset 1024MB DDR3, 256MB Flash, 500mW High-Power,access 250users * 48V PoE Support,2 x Gigabit Port(not include PoE adapter) * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	Fiyat Sorunuz
WI-AP218AX-Lite		<ul style="list-style-type: none"> * Ultra-Fast Wi-Fi 6 Speeds: Simultaneous 574Mbps on 2.4 GHz and 1201Mbps on 5 GHz totals 1775Mbps Wi-Fi speeds * OFDMA and Uplink & Downlink MU-MIMO increase network capacity by up to 4x versus Wi-Fi 5 (802.11ac) in high-density environments to connect more devices simultaneously * Atheros chipset 256MB DDR3, 16MB Flash, 200mW High-Power,access 100users * 48V PoE Support,2 x Gigabit Port, not include PoE adapter * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	\$220,00

<p>WI-AP219AX</p>		<ul style="list-style-type: none"> * 802.11AC 2.4&5.8GHz 3550Mbps Wi-Fi6 SME Cloud Ceiling AP * Ultra-Fast Wi-Fi 6 Speeds: Simultaneous 1148Mbps on 2.4 GHz and 2402Mbps on 5 GHz totals 3550Mbps Wi-Fi speeds * OFDMA and Uplink & Downlink MU-MIMO increase network capacity by up to 4x versus Wi-Fi 5 (802.11ac) in high-density environments to connect more devices simultaneously * Atheros chipset 1024MB DDR3, 256MB Flash, 500mW High-Power,access 500Users * 48V PoE Support,1 x 2.5Gbps Port+1 x 1Gbps Port(not include PoE adapter) * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	<p>Fiyat Sorunuz</p>
<p>WI-AP415</p>		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 750M Indoor Wireless Inwall AP * 11AC 2.4GHz 300Mbps+5.8Ghz 443Mbps * Atheros chipset 128MB DDR2, 16MB Flash, 500mW High-Power,access 50+users * 3*5dB inside antenna * 48V PoE Support,2 x 100Mbps Ethernet port(Not include PoE Adapter) * Support hardware controller managed * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed 	<p>\$96,00</p>
<p>WI-AP310</p>		<ul style="list-style-type: none"> * 802.11N 2.4G 300M Outdoor Wireless AP * Atheros chipset 64MB DDR2, 16MB Flash, ,access up 50users+ * 2*5dB external Omni antenna,22dBm High-Power for 200 Meters LOS wireless cover range * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed * Support Qvlan binding multi-SSID * 2 x 100Mbps Ethernet port, (24V Passive PoE adapter included) * IP65 rated, weather and dust sealed * Flexible wall or pole mounting options 	<p>Fiyat Sorunuz</p>
<p>WI-AP310-Lite</p>		<ul style="list-style-type: none"> * 802.11N 2.4G 300M Outdoor Wireless AP * 11N 2.4GHz 300Mbps * MTK chipset 64MB DDR2, 8MB Flash, ,access up 30users+ * 2*5dB external Omni antenna,22dBm High-Power for 200 Meters LOS wireless cover range * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed * Support Qvlan binding multi-SSID * 2 x 100Mbps Ethernet port, 24V Passive PoE adapter included * IP65 rated, weather and dust sealed * Flexible wall or pole mounting options 	<p>\$80,00</p>
<p>WI-AP315</p>		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 750M Outdoor Wireless AP * 11AC 2.4GHz 300Mbps+5.8Ghz 443Mbps * Atheros chipset 128MB DDR2, 16MB Flash, ,access up 90users+ * 3*5dB inside Omni antenna,500mW High-Power for 400 Meters LOS wireless cover range * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed * Support Qvlan binding multi-SSID * 2 x 100Mbps Ethernet port, 802.3at PoE supported(Not include PoE Adapter) * IP65 rated, weather and dust sealed * Flexible wall or pole mounting options 	<p>Fiyat Sorunuz</p>
<p>WI-AP316</p>		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Outdoor Wireless AP * 11AC 2.4GHz 300Mbps+5.8Ghz 887Mbps * MTK chipset 64MB DDR2, 8MB Flash, ,access up 60users+ * 2*5dB external Omni antenna,22dBm High-Power for 200 Meters LOS wireless cover range * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed * Support Qvlan binding multi-SSID * 2 x 100Mbps Ethernet port, 24V Passive PoE adapter included * IP65 rated, weather and dust sealed * Flexible wall or pole mounting options 	<p>\$160,00</p>
<p>WI-AP317</p>		<ul style="list-style-type: none"> * 802.11AC 2.4G&5.8G 1200M Outdoor Wireless AP * 11AC 2.4GHz 300Mbps+5.8Ghz 887Mbps * Atheros chipset 128MB DDR2, 16MB Flash, ,access up 250users+ * 4*5dB inside Omni antenna,200mW High-Power for 200 Meters LOS wireless cover range * Support QVLAN+SSID, Portal,AC controller Managed and Cloud Managed * Support Qvlan binding multi-SSID * 2 x 100Mbps Ethernet port, 802.3at PoE supported(Not include PoE Adapter) * IP65 rated, weather and dust sealed * Flexible wall or pole mounting options 	<p>\$245,00</p>
<p>WI-AP510</p>		<ul style="list-style-type: none"> * 802.11AC 2.4G&5G 1200Mbps Outdoor Wireless Cloud Managed AP * Dualband 2x2:2 1200Mbps 802.11ac Wave2 outdoor access point * 800 Meters LOS wireless cover range, up to 300+ users * Support AP, Router,Repeater WISP mode * Support Qvlan binding multi-SSID * 1 x Gigabit Ethernet port, * 802.3at PoE supported, include Gigabit PoE Adapter+Cloud Managed * IP67 rated, weather and dust sealed * Flexible wall or pole mounting options 	<p>Fiyat Sorunuz</p>

WI-AP518AX		<ul style="list-style-type: none"> * 802.11AC 2.4G&5G 3550Mbps Outdoor Wireless Cloud Managed AP * Ultra-Fast Wi-Fi 6 Speeds: Simultaneous 1148Mbps on 2.4 GHz and 2402Mbps on 5 GHz totals 3550Mbps Wi-Fi speeds * OFDMA and Uplink & Downlink MU-MIMO increase network capacity by up to 4x versus Wi-Fi 5 (802.11ac) in high-density environments to connect more devices simultaneously * Atheros chipset 1024MB DDR3, 256MB Flash, 500mW High-Power, access 500Users * 48V PoE Support, 1 x 2.5Gbps Port, not include PoE adapter * IP67 rated, weather and dust sealed, Flexible wall or pole mounting options * Support QVLAN+SSID, Portal, AC controller Managed and Cloud Managed 	Fiyat Sorunuz
WI-AC150		<ul style="list-style-type: none"> * Wireless AP Controller with 5Gigabit Ethernet Ports * Maximum AP managed number up to 150PCS * Support 1-4 WAN ports for load balance * WLAN Radio Spectrum Analysis to ensure work on best channel * Unified manage all indoor and outdoor Aps * Intra-AC, Inter-AP L2 /L3 roaming time less than 40ms * Built-in captive portal server and customized welcome page 	\$200,00
WI-AC108P		<ul style="list-style-type: none"> * Wireless AP Controller with 8 Gigabit PoE Ports * Maximum AP managed number up to 64PCS * Support 1-4 WAN ports for load balance(need work with a VLAN managed Switch) * Support end users access 400 * Support 8* 802.3af/at PoE Output Ports * WLAN Radio Spectrum Analysis to ensure work on best channel * Unified manage all indoor and outdoor Aps * Intra-AC, Inter-AP L2 /L3 roaming time less than 40ms * Built-in captive portal server and customized welcome page * Support Cloud Managed 	Fiyat Sorunuz
WI-AC105P		<ul style="list-style-type: none"> * Wireless AP Controller with 4 Gigabit PoE Ports * Maximum AP managed number up to 32PCS * Support end users access 200 * Support 1-4 WAN ports for load balance * Support 4* 802.3af/at PoE Output Ports * WLAN Radio Spectrum Analysis to ensure work on best channel * Unified manage all indoor and outdoor Aps * Intra-AC, Inter-AP L2 /L3 roaming time less than 40ms * Built-in captive portal server and customized welcome page * Support Cloud Managed 	Fiyat Sorunuz
WI-AC50		<ul style="list-style-type: none"> * Mini Wireless AP Controller with 2*100Mbps Ports(1PoE Input) * Maximum AP managed number up to 50PCS * Support by-pass mode only process AP control data * WLAN Radio Spectrum Analysis to ensure work on best channel * Unified manage all indoor and outdoor Aps * Intra-AC, Inter-AP L2 /L3 roaming time less than 40ms * Built-in captive portal server and customized welcome page * Support Cloud Managed 	\$70,00
WI-R2-CCTV (With Power Adapter)		<ul style="list-style-type: none"> * 1WAN+3LAN 300Mbps Wireless PoE Switch * Wireless B/G/N Speed up to 300M, Support Router, Fit AP, Repeater Mode * WAN/LAN1/LAN2 Port support 48V PoE Input and Output, you can power up 3pcs IP-camera(WAN,LAN1,LAN2) at AP mode * Support PoE Pass-through + 2x2 MIMO Technology * Support Cloud-Managed * Support QVLAN TAG binding with multi-SSID * 100mW Power Output + 4*5dbi High Gain Antennas, Wall penetration wifi design * 52V 1.25A 65W Power adapter included 	Fiyat Sorunuz
WI-R2-WISP sales suspension		<ul style="list-style-type: none"> * 1WAN+3Lan 300Mbps Wireless WISP PoE Router * 100mW Power Output +4*5dbi High Gain Antennas, Wall penetration wifi design * Wireless B/G/N Speed up to 300M, Support Router, AP, Repeater, WISP Mode * WAN Port support PoE Out, PoE Voltage range from 9V-48V * WAN/LAN1/LAN2 PoE Input, Output optional * Support PoE Pass-through + 2x2 MIMO Technology * Support Remotely management by WAN Port * Support QVLAN TAG binding with multi-SSID * Passive PoE Supports up to 100 Meters / 64MB SDRAM 8MB Flash, 600Mhz CPU 	Fiyat Sorunuz

Adres:

Kartaltepe, Kültür Sokagi :43/a, 34425 Bayrampaşa/İstanbul